BUNGARTZ




Modernization of Kazanskaya CHPP-3

Steam Pipeline Drain
Expansion Tank Collector Pump


Intermittent Blowdown Tank Drain Transfer Pumps

PURCHASE ORDER LA CALLEGATION LA CALLEGATION	PURCHASE ORDER Lea CASE ADVINCES Lea CASE ADVINCE	© GAI GAMA SA (G				
The content of the	The Continue of the Continue o			D		
See TABLE 1999 The TABLE 200 Common to the Common to t	Section Sect	The state of the s		10		
Section Proceedings Proc	State State of State Sta					Page 1
State of the control	State Management 10 12 20 20 20 20 20 20 20 20 20 20 20 20 20			- contains	feed	-
The property of the property o	Section 1 - Sectio	Standards In 19				
A SECTION OF SECTION O	Section of the control of the contro	Within Countries Services				
March (March 1997) Fig. Special (March 1997) Special (March 19	Manage M		Design Printers			
Second S	Section Sect			-	-	
Compared to the Compared to	Section		-			at laster
Name	The control of the					
The control of the co			71.0			
25	1	Toma and Condition of Compan				
Section Continue	The state of the s			199		
Section 1. The section of the sectio	Section of the control of the contro					
Seed from company to the company of	Section Sect	Spaling Managema Torontomo, Facilina Participi del Principales III				
The content of the	The content of the					
1	The control of the control in the control of the	Participal Specification of the proceed contract for Steam Plantin Street Society Science Plantin	man fore			
	Personal					1.00
1	Description of the contract of the contra	Davis new		- 10		1180
To a second						
The content of the	The second sec					
Taylor of the term						- 2
1 20 20 20 20 20 20 20	1					
Test Inner (19 Ext.) Springer from the control of	Type Search to Kind Co.		- 1			-
Facilities to the same and the	Parlame but have the hardware and the ha	person.			_	
Fine up ad 45 Mills	Please go and 45 MI	often top ten		- 1111	uy ne	_
Fine up ad 45 Mills	Please go and 45 MI			-	1.7	
And the second s		1991.		(Fine to	ad state	
Experiments of Management (April 1997) and the Company of Management	August demonstration of the second se	Story & House State Co.				
A state of the control of the contro	A set the set of the s	A CONTRACTOR OF THE PARTY OF TH				
A state of the control of the contro	A set the set of the s					
Registration of the control of the c	At part of the country of the countr	NAMES OF TAXABLE				
September 1 Septem					Name of Street	
Section in the Control of the Contro						



"YOU CAN ZOOM IN FOR PROCESS CONDITIONS"

Hamitabat CCPP




For futher info on hydrodynamic shaft

seal, pls. contact us:

fortram@fortram.com

ST drains transfer pump



ADVANTAGES

- -NO CAVITATION
- -Pump can work under VACUM conditions
- -Pump can run DRY
- -NO WEAR
- -NPSHr < 0.1 m
- -No additional accessories required like frequency convertor or limit switch which can be source of some failures
- -Self-adjusting flow control: Pump pumps as long as there is water in suction tank, when no fluid in tank, pump can still runs but pumped fluid is zero